

Superseded by TM 11-5805-200-12 P, 30 July 1959, and
-35 P, 30 July 1959

***SIG 7 & 8 EE-8
TO 31W1-3EE8-14**

**DEPARTMENT OF THE ARMY SUPPLY MANUAL
DEPARTMENT OF THE AIR FORCE TECHNICAL ORDER**

*Organizational Maintenance Allowances
and Field and Depot Maintenance Stockage Guide*

for

TELEPHONE EE-8; EE-8-A, B, C, D, E

Ref: TM 11-333

Departments of the Army and the Air Force, Washington 25, D. C.

29 October 1956

1. A copy of SIG 1 and DA Pam 310-21 should be available to every user of the Signal portion of the Army supply manual.

a. SIG 1 explains the purpose and use of the Signal portion of the Army supply manual.

b. DA Pam 310-21 contains alphabetical and numerical indexes of available manuals in the Signal portion of the Army supply manual.

2. Items marked X under expendability note are expendable within the meaning of AR 735-4; nonexpendable items are marked NX.

3. Department of the Army supply manuals listed below are also required for complete maintenance allowance data of the equipment covered herein:

SIG 7 & 8 GN-38

SIG 7 & 8 TS-9

4. A dagger in the designation by model column indicates the model in which the part is used.

5. Dry batteries shown are used with the equipment but are not considered part of the equipment. They will not be preshipped automatically but are to be requisitioned in quantities necessary for the particular organization, in accordance with SB 11-6.

6. A percent symbol indicates the item is authorized for use in the category of maintenance indicated and may be requisitioned when required. Not authorized for stockage.

7. The Federal stock number column lists the 11-digit Federal stock number assigned by the Cataloging Division, OASD (S & L). The Federal stock number will be used for requisitioning purposes.

8. SIG 7 & 8 EE-8 comprises two parts as follows:

a. *Maintenance Items.* A list of parts for repair and supply facilities.

b. *Basic Issue Items.* A list of component parts showing the quantities of each that comprise a complete operating equipment, including running spares, that is, those spare parts shipped concurrently with the equipment, and accessories.

9. Comments relative to technical data discrepancies in this manual should be forwarded to-

CO, Signal Equipment Support Agency
Fort Monmouth, N. J.
ATTN: SIGFM/ES-PMA

*This manual supersedes SIG 7 & 8 EE-8, 7 January 1955, including C 1, 24 February 1955; C 2, 3 October 1955; C 3, 1 February 1956; and C 4, 29 February 1956.

PROPERTY OF THE TECHNICAL LIBRARY
DO NOT REMOVE FROM BUILDING

Copy!

MAINTENANCE ITEMS

SIGNAL CORPS STOCK NUMBER	FEDERAL STOCK NUMBER	REFERENCE SYMBOL	DESIGNATION BY MODEL	DESCRIPTION	QUANTITY PER EQUIP	MAINTENANCE						SUPPLY					
						AUTHORIZED ALLOWANCES		STOCK GUIDE		STOCK GUIDE		STOCK GUIDE		STOCK GUIDE	DEPOT	ARMY	BASE
						ORGANIZATIONAL ORGANIZATION	TACTICAL ORGANIZATION	FIELD REPAIR SHOPS	3RD ECHELON	4TH	5TH	DEPOT	REPAIR SHOP	TAC	EXPENDABILITY	NOT	
			1 2														
4B5008				NOTE: Model Column 1 refers to EE-8, EE-8-A, B, C, D; Column 2 refers to EE-8-E TELEPHONE EE-8, EE-8-A, B, C & D: portable, field; plastic handset; local or common batt; xmr cur supply; for outdoor use; 9-1/2" lg x 7-7/16" wd x 3-1/2" d; self-contained signaling device; mfg: ea													
4B5008E				TELEPHONE EE-8-E: portable field; local batt; xmr cur supply; ringer self-contained; gen signaling; 14-1/2" lg x 14-1/4" wd x 5-1/2" d o/a; push-to-talk sw incl; ckt controlled; modified for artic use; ea													
			Order thru AGC	TECHNICAL MANUAL TM 11-333; ea	2												
	6135-120-1020		+	BATTERY BA-30 1.5 v; ea	2												
	5340-498-9140		+	BUCKLE: barrel roller tongue type; f/1" strap; Sig dwg #SC-A-723-B; size #1; ea H	1												
	5910-100-5747		+	CAPACITOR CA-355: fixed, paper; 3 sect; 2 mmf/500,000 mmf/300,000 mmf; ea F	1												
	5975-248-6262		+	CLAMP - ELECTRIC: holds met l-1/8" max dia; Sig dwg #SC-A-262088; ea 0	1												
	5340-285-7730		+	CLAMP, LOOP: 15/16" lg x 1/2" wd x 3/8" h o/e; Sig dwg #SC-D-20067; item 48; ea See Qty	2												
	5805-129-9887		+	CLIP & SQUARE ASSEMBLY: 1-1/2" lg x 1-1/4" wd; Sig dwg #SC-D-1786-F; Items 5 & 6; ea F	1												
3C105	<i>5950-235-8746</i>		+	COIL C-105: tp induction; 3 wnd; ea F	1												
3C158	<i>5950-186-4962</i>		+	COIL C-158: tp retardation; 1 wnd; ea F	1												
	5805-128-9584		+	CONTACT, SWITCH: centerpiece for screw sw; Sig dwg #SC-D-20080; item #14; ea H	1												
	5805-128-1973		+	CRANK GC-9; gen hand crank; ea 0	1												
	5805-356-2647		+	CRANK GC-9A; for hand gen; ea 0	1												
	5325-281-2093		+	EYELET, METALLIC: open end type; Sig dwg #SC-D-1784; ea H	5												
	5325-498-9267		+	FASTENER, SNAP: dot type; United Carr Lift the Dot; ea H	1												
	5325-408-2912		+	FASTENER, SNAP: "Lift the Dot" type; Sig dwg #SC-D-1784; ea H	1												
623810-4.7			+	FASTENER, SNAP: 2-1/2" lg x 1-3/8" wd x 5/8" h o/d; Hollander Metal part #SP-254; ea H	2												

SIGNAL CORPS STOCK NUMBER	FEDERAL STOCK NUMBER	REFERENCE SYMBOL	DESIGNATION BY MODEL	DESCRIPTION	QUANTITY PER EQUIP	RUNNING ECHELON	MAINTENANCE										SUPPLY									
							AUTHORIZED ALLOWANCES				STOCK GUIDE			STOCK GUIDE			STOCK GUIDE									
							ORGANIZATION	TACTICAL ORGANIZATION	2ND ECHELON	1-4	FIELD REPAIR SHOPS	REPAIR SHOPS	DEPOT	DEPOT	REPAIR SHOP	ARMY TAC	DEPOT	ARMY TAC	DEPOT	ARMY TAC						
			1 2																							
4B838 4B1109	5805-160-1032		+	EE-8, EE-0 A,B,C,D,E (continued) GENERATOR GN-38; GN-38-A,B: hand ringing; ea HANDSET TS-9, sp rec approx 250 ohm; tp carbon type xmr 25 ohm DC; ea	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5805-128-9586		+	HOLDER, BATTERY: holds 2 batt; Sig dwg #SC-D-20066; ea	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5970-405-8663		+	INSULATOR, PLATE: 7/8" lg x 3/8" wd x 1/32" thk; Sig dwg #SC-D-20080, Item #22; ea	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5330-186-8779		+	INSULATOR, WASHER: 5/16" OD x 0.196" ID x 5/64" thk o/a; Sig dwg #SC-D-20066, item #8; ea, F	4	-	0%	0%	-	1	1	4	7	4	34	X										
564888-9	5330-186-8784		+	INSULATOR, WASHER: 9/16" OD x 3/16" ID x 1/32" thk o/a; Sig dwg #SC-D-20066-7; ea F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5805-240-9380		+	JACK ASSEMBLY, TELEPHONE: 3 jacks for 3 cond JAN PJ-058 plugs; Sig dwg #SC-D-20076; ea F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5310-356-4283		+	NUT, PLAIN, HEXAGON: 1/4" -28 NF-2; Cookeco dwg #6-61622; ea F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5940-194-7728		+	POST, BINDING: 21/32" h o/a; Rich-Allen dwg #RA-10220-1; ea F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32741-1B,4			+	POST, BINDING: 1-23/32" lg o/a; NAVL Co type #FWA; ea F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5805-128-9588		+	RING ASSEMBLY, "D": for carrying strap; Sig dwg #SC-D-1786-F; ea H	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5320-227-8799		+	RINGER MC-131: adj arm; ea F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5320-242-5194		+	RIVET, SOLID: FH; 3/32" dia x 3/8" lg; Sig dwg #SC-D-1784, Type #F-11; ea H	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			+	RIVET, SOLID: FH; 9/32" dia x 0.0425" h; w/washer; Sig dwg #SC-D-9577-F, Item #11 # #12; ea H	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5320-279-1016		+	RIVET, SPLIT: trusshead style; 0.088" dia x 5/16" lg; Tubular Rivet part #201; ea H	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H101-8458711 (Ord Stk No)			+	SCREW, MACHINE: slot drive; FH; #6-32 NC-2; 5/16" lg; Fed spec #FF-S-91; type 1; ea F	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H101-8458757 (Ord Stk No)			+	SCREW, MACHINE: slot drive; FH; #6-32 NC-2; 7/16" lg; Fed spec #FF-S-91, type #1; ea F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6L6440-1,47S			+	SCREW MACHINE: slot drive; FH; steel; #4-40; 1/4" lg; ea F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Next
HERE

W

✓

5305

SIGNAL CORPS STOCK NUMBER	FEDERAL STOCK NUMBER	REFERENCE SYMBOL	DESIGNATION BY MODEL	DESCRIPTION	QUANTITY PER EQUIP	ECHELON SPARES	MAINTENANCE											SUPPLY		EXPENDABLE NOTE				
							AUTHORIZED ALLOWANCES		STOCK GUIDE			STOCK GUIDE			STOCK GUIDE			STOCK GUIDE						
							TACTICAL ORGANIZATION	FIXED STATION	FIELD SHOPS	REPAIR SHOPS	DEPOT REPAIR	ARMY TAC	DEPOT SHOP	ARMY TAC	DEPOT BASE	STOCK GUIDE	STOCK GUIDE	STOCK GUIDE	STOCK GUIDE		STOCK GUIDE			
				EE-8; EE-8 A,B,C,D,E (continued)	2																			
H101-8458777 (Ord Stk No)			1 2	SCREW, MACHINE: slot drive; #6-32 NC-2; 1/2" lg; Fed Spec #FF-5-92, type #1, style 8S; ea F	1																			
H101-8458843 (Ord Stk No)				SCREW, MACHINE: slot drive; FH; #6-32; 1-1/8" lg; ea F	1																			
628167A				SLIDE, STRAP ADJUSTING: brass; 1-1/4" lg x 1" w x 1/4" d; Sig dwg #SC-B-4156, item 4; ea F	1																			
34-L-1711-40 (QM Stk No)				SLIDE, STRAP ADJUSTING: for 2" strap; US Army spec 29-118, Class A, style 2; ea O	1																			
	5805-128-9591			SPRING ASSEMBLY, HELICAL, COMPRESSION: holds batt in place; Sig dwg #SC-D-20066; Items #9 & #10; ea H	1																			
	8465-634-2803			SLING, CARRYING, BAG AND CASE: 2" w x 48" lg o/a; Sigc dwg #SM-208122; ea O	1																			
	5805-160-1431			STRAP, CARRYING: tp carrying strap; 1 strap 50" lg x 1" wd, other 26" lg x 1" wd; Sig dwg #SC-D-4156; ea F	1																			
	5805-407-3797			STRAP, CARRYING: approx 72" lg x 1" wd x 1/8" thk; Sig dwg #SC-D-9579; ea F	1																			
	5930-231-7762			SWITCH ASSEMBLY: 1 screw type; 1 lever type sw; Sig dwg #SC-D-20078; ea F	1																			
	5805-263-0786			TELEPHONE SET CASE CY-1181/TT: w/carrying strap; ea F	1																			
	5940-927-8912			TERMINAL BOARD: 8 binding post-term; Sig-dwg #SC-D-20076a; ea H	1																			
	5910-465-8724			TERMINAL BOARD: 8 binding post-term; Sig-dwg #SC-D-20076a; ea H	1																			
	5740-258-3567			TERMINAL, LUG: rd tongue end; Pat-Mac Guyer part #4007-8; ea F	9																			
	5805-128-1987			TIP, STRAP: for 1" strap; North & Judd Part #149-1 inch; ea F	1																			
	5310-198-9315			WASHER, FINISHING: cone type; EB Stimpson part #C-192; ea F	5																			
	5310-209-0488			WASHER, FLAT: copper; 0.206" ID x 21/32" OD x 0.057" thk; Fed Spec #FF-R-556; Table IV; size #6; ea H	12																			
	5330-351-7456			WASHER, FLAT: corprene; 1-1/4" OD x 5/16" ID x 1-1/16" thk; Sig dwg #SC-D-20065, Item #28; ea F	1																			

BY ORDER OF THE SECRETARIES OF THE ARMY AND THE AIR FORCE:

MAXWELL D. TAYLOR,
*General, United States Army,
Chief of Staff.*

OFFICIAL:

JOHN A. KLEIN,
*Major General, United States Army,
The Adjutant General.*

N. F. TWINING,
Chief of Staff, United States Air Force.

OFFICIAL:

E. E. TORO,
*Colonel, United States Air Force,
Air Adjutant General.*

DISTRIBUTION:

Active Army:


CNGB (1)
ASA (3)
Tec Svc, DA (1) except
CSIGO (11)
Tec Svc Bd (1)
Hq CONARC (5)
CONARC Bd (Incl ea Test Sec) (1)
Army AA Comd (2)
OS Maj Comd (5)
OS Base Comd (5)
Log Comd (5)
MDW (1)
Armies (5)
Corps (2)
Div (2)
US Army Tng Cen (2)
Brig (2)
Regt (2)
Bn (2)
Co (2) except TOE:
11-7C (9)
11-16C (8)
11-57C (15)
11-97R (24)
11-116R (1)
11-117R (13)
11-127F (45)
11-128C (12)
11-557C (9)
11-587R (45)
11-597R (4)

Ft & Cp (2) except
Sig Sch (25)
Gen & Br Svc Sch (2) except
Atlanta Gen Depot (none)
Sig Sec, Gen Depot (25)
Depots (5) except
Sig Depots (25)
Sacramento Sig Depot (30)
AH (2)
ASMPA (1)
AFIP (2)
WRAMC (2)
Sp Wpn Comd (15)
POE (OS) (2)
Trans Terminal Comd (2)
Army Terminal (2)
OS Sup Agencies (1)
PG (2)
Arsenals (2)
Plants & Works (2)
Sig Fld Maint Shops (5)
ACS (3)
Lab (2) except
Sig Lab (5)
Mil Dist (1) except
Ariz Mil Dist (2)
Md Mil Dist (none)
Trans Zone (2)
JBUSMC (1)
Units organized under following TOE:
11-500R (All Tms), Sig Svc Org (3)

NG: State AG (6); units—same as Active Army except allowance is one copy to each unit.

USAR: None.

For explanation of abbreviations used, see SR 320-50-1.



Superseded by TM 11-5805-200-12P, 30 July 1959, and
-35P, 30 July 1959

**SIG 7 & 8 EE-8
TO 31W1-3EE8-14**

Changes No. 1

**DEPARTMENT OF THE ARMY SUPPLY MANUAL
DEPARTMENT OF THE AIR FORCE TECHNICAL ORDER**

*Organizational Maintenance Allowances
and Field and Depot Maintenance Stockage Guide*

for

TELEPHONE EE-8, EE-8-A, B, C, D, E

Departments of the Army and the Air Force, Washington 25, D. C.

21 February 1957

Department of the Army Supply Manual SIG 7 & 8 EE-8/TO 31W1-3EE8-14, 29 October 1956,
is changed as follows:

- Page 2. Delete item Signal Corps stock number 4B1109, HANDSET TS-9: * * *
- Page 4. Delete item Signal Corps stock number 4B1109, HANDSET TS-9: * * *

Copy 1

BY ORDER OF THE SECRETARIES OF THE ARMY AND THE AIR FORCE:

MAXWELL D. TAYLOR,
General, United States Army,
Chief of Staff.

OFFICIAL:

HERBERT M. JONES,
Major General, United States Army,
The Adjutant General.

N. F. TWINING,
Chief of Staff, United States Air Force.

OFFICIAL:

CHARLES M. McDERMOTT,
Colonel, United States Air Force,
Acting Air Adjutant General.

DISTRIBUTION:

Active Army:

CNGB	Brig	POE (OS)
ASA	Regt	Trans Terminal Comd
Tec Svc, DA	Bn	Army Terminals
Tec Svc Bd	Co	OS Sup Agencies
Hq CONARC	US Army Tng Cen	PG
CONARC Bd	Ft & Cp	Arsenals
CONARC Bd Test Sec	Gen & Br Svc Sch	Plants & Works
Army AA Comd	Gen Depots	Sig Fld Maint Shops
OS Maj Comd	Sig Sec, Gen Depots	ACS
OS Base Comd	Depots	Lab
Log Comd	AH	Mil Dist
MDW	ASMPA	Trans Zones
Armies	AFIP	JBUSMC
Corps	WRAMC	
Div	Sp Wpn Comd	

NG: State AG; units—same as Active Army.

USAR: None.

For explanation of abbreviations used, see SR 320-50-1.

Revised by TM 11-5805-200-12 P, 30 July 1959, and
-35P, 30 July 1959

**SIG 7 & 8 EE-8
TO 31W1-3EE8-14**

Changes No. 3

**DEPARTMENT OF THE ARMY SUPPLY MANUAL
DEPARTMENT OF THE AIR FORCE TECHNICAL ORDER**

*Organizational Maintenance Allowances
and Field and Depot Maintenance Stockage Guide
for*

TELEPHONE EE-8; EE-8-A, B, C, D, E

Departments of the Army and the Air Force, Washington 25, D. C.

14 January 1958

Department of the Army Supply Manual SIG 7 & 8 EE-8/TO 31W1-3EE8-14, 29 October 1956, is changed as follows:

Notes: 1. All equipment is to be used as specified, unless otherwise noted.

Item	Quantity	Remarks
EE-8 (with 10-P)	1	
EE-8-A	1	
EE-8-B	1	
EE-8-C	1	
EE-8-D	1	
EE-8-E	1	
Legend		

ef 1

SIG 7 & 8 EE-8
TO 31W1-3EEB-14
Change No. 3

DEPARTMENT OF THE ARMY
DEPARTMENT OF THE ARMY

TELEPHONE NO. 317-813, C. D. E.

14 January 1958

Department of the Army and the Army Supply Department
is changed as follows:

PAGE	ACTION	FEDERAL STOCK NO.	(5) DESCRIPTION	(8)		(9)					(10)				
				MAINTENANCE		Stock guide		Stock guide, depot							
				Authorized allowances, organizational		Field repair shops		Stock guide	Army tactical	Base (100 equip.)					
				Tactical organization 2d	Fixed station 2d	1-4 Equip. (a)	5-20 Equip. (b)	Equip. (c)	1-4 Equip. (a)	5-20 Equip. (b)	3d (50 equip.) (c)	4th (50 equip.) (c)	5th (100 equip.) (d)	Depot repair shop (100 equip.) (e)	
3	Change columns 2; 5; 9-d; 10-b.	(5940-227-8312) 5970-405-8726	INSULATOR, PLATE: 3 13/16" lg x 3 17/64" w x 5/32" thk; Sig dwg #SC-D-20066-2; ea.											1	6

Note. Parenthesis indicate old stock number followed by new.

BY ORDER OF THE SECRETARIES OF THE ARMY AND THE AIR FORCE:

MAXWELL D. TAYLOR,
General, United States Army,
Chief of Staff.

OFFICIAL:

HERBERT M. JONES,
Major General, United States Army,
The Adjutant General.

OFFICIAL:

J. L. TARR,
Colonel, United States Air Force,
Director of Administrative Services.

THOMAS D. WHITE,
Chief of Staff, United States Air Force.

DISTRIBUTION:

Active Army:

CNGB	AMS	7-18
ASA	Engr Maint Cen	8-7
Technical Stf, DA	Army Pictorial Cen	8-15
Technical Stf Bd	TASSA	8-16
USCONARC	USA Comm Agecy	8-17
USA Arty Bd	USA Sig Comm Engr Agecy	8-18
USA Armor Bd	USA Sig Pub Agecy	9-25
USA Armor Bd Test Sec	USA White Sands Sig Agecy	9-26
USA Inf Bd	Ports of Emb (OS)	9-27
USA Air Def Bd	Trans Terminal Comd	9-28
USA Air Def Bd Test Sec	Army Terminals	9-227
USA Abn & Elct Bd	OS Sup Agecy	10-17
USA Avn Bd	PG	10-127
USA Arctic Test Bd	Arsenals	11-7
USARADCOM	Plants & Works	11-16
OS Maj Comd	Sig Fld Maint Shops	11-57
MDW	Lab	11-97
Armies	Mil Dist	11-116
Corps	JBUSMC	11-117
Div	Units organized under following	11-127
USATC	TOE's:	11-128
Fld Comd, AFSWP	5-15	11-500 (AA-AE)
Ft & Camps	5-16	11-557
USMA	5-17	11-587
Svc Colleges	6-319	11-597
USAWC	6-325	19-27
Br Svc Sch	6-326	32-500
Gen Depots	6-327	55-17
Sig Sec, Gen Depots	7-12	55-57
Depots	7-14	55-202
AH	7-15	
AFIP	7-17	

NG: State AG; units—same as Active Army.

USAR: None.

For explanation of abbreviations used, see AR 320-50.

MAZUREK D. TAYLOR
General, United States Army
Chief of Staff

Overseas:
HERBERT M. JONES
Major General, United States Army
The Adjutant General

THOMAS D. WHITE
Chief of Staff, United States Air Force

Overseas:
J. T. TAME
Colonel, United States Air Force
Director of Administrative Services

Serial	Category	Description	Serial	Category	Description
7-18	AMS	AMS	10-187	AG	AG
8-7	AG	AG	10-17	AG	AG
8-13	AG	AG	10-17	AG	AG
8-15	AG	AG	10-17	AG	AG
8-16	AG	AG	10-17	AG	AG
8-17	AG	AG	10-17	AG	AG
8-18	AG	AG	10-17	AG	AG
8-20	AG	AG	10-17	AG	AG
8-21	AG	AG	10-17	AG	AG
8-22	AG	AG	10-17	AG	AG
8-23	AG	AG	10-17	AG	AG
8-24	AG	AG	10-17	AG	AG
8-25	AG	AG	10-17	AG	AG
8-26	AG	AG	10-17	AG	AG
8-27	AG	AG	10-17	AG	AG
8-28	AG	AG	10-17	AG	AG
8-29	AG	AG	10-17	AG	AG
8-30	AG	AG	10-17	AG	AG
8-31	AG	AG	10-17	AG	AG
8-32	AG	AG	10-17	AG	AG
8-33	AG	AG	10-17	AG	AG
8-34	AG	AG	10-17	AG	AG
8-35	AG	AG	10-17	AG	AG
8-36	AG	AG	10-17	AG	AG
8-37	AG	AG	10-17	AG	AG
8-38	AG	AG	10-17	AG	AG
8-39	AG	AG	10-17	AG	AG
8-40	AG	AG	10-17	AG	AG
8-41	AG	AG	10-17	AG	AG
8-42	AG	AG	10-17	AG	AG
8-43	AG	AG	10-17	AG	AG
8-44	AG	AG	10-17	AG	AG
8-45	AG	AG	10-17	AG	AG
8-46	AG	AG	10-17	AG	AG
8-47	AG	AG	10-17	AG	AG
8-48	AG	AG	10-17	AG	AG
8-49	AG	AG	10-17	AG	AG
8-50	AG	AG	10-17	AG	AG
8-51	AG	AG	10-17	AG	AG
8-52	AG	AG	10-17	AG	AG
8-53	AG	AG	10-17	AG	AG
8-54	AG	AG	10-17	AG	AG
8-55	AG	AG	10-17	AG	AG
8-56	AG	AG	10-17	AG	AG
8-57	AG	AG	10-17	AG	AG
8-58	AG	AG	10-17	AG	AG
8-59	AG	AG	10-17	AG	AG
8-60	AG	AG	10-17	AG	AG
8-61	AG	AG	10-17	AG	AG
8-62	AG	AG	10-17	AG	AG
8-63	AG	AG	10-17	AG	AG
8-64	AG	AG	10-17	AG	AG
8-65	AG	AG	10-17	AG	AG
8-66	AG	AG	10-17	AG	AG
8-67	AG	AG	10-17	AG	AG
8-68	AG	AG	10-17	AG	AG
8-69	AG	AG	10-17	AG	AG
8-70	AG	AG	10-17	AG	AG
8-71	AG	AG	10-17	AG	AG
8-72	AG	AG	10-17	AG	AG
8-73	AG	AG	10-17	AG	AG
8-74	AG	AG	10-17	AG	AG
8-75	AG	AG	10-17	AG	AG
8-76	AG	AG	10-17	AG	AG
8-77	AG	AG	10-17	AG	AG
8-78	AG	AG	10-17	AG	AG
8-79	AG	AG	10-17	AG	AG
8-80	AG	AG	10-17	AG	AG
8-81	AG	AG	10-17	AG	AG
8-82	AG	AG	10-17	AG	AG
8-83	AG	AG	10-17	AG	AG
8-84	AG	AG	10-17	AG	AG
8-85	AG	AG	10-17	AG	AG
8-86	AG	AG	10-17	AG	AG
8-87	AG	AG	10-17	AG	AG
8-88	AG	AG	10-17	AG	AG
8-89	AG	AG	10-17	AG	AG
8-90	AG	AG	10-17	AG	AG
8-91	AG	AG	10-17	AG	AG
8-92	AG	AG	10-17	AG	AG
8-93	AG	AG	10-17	AG	AG
8-94	AG	AG	10-17	AG	AG
8-95	AG	AG	10-17	AG	AG
8-96	AG	AG	10-17	AG	AG
8-97	AG	AG	10-17	AG	AG
8-98	AG	AG	10-17	AG	AG
8-99	AG	AG	10-17	AG	AG
8-100	AG	AG	10-17	AG	AG

AG: Same AG; units same as Active Army.
USAR: None.
For explanation of abbreviations used, see AR 338-50.

Superseded by TM 11-5803-200-121, 20 July 1959, and
-35 P, 30 July 1959

SIG 7 & 8 EE-8 TO 31W1-3EE8-14

Changes No. 2

DEPARTMENT OF THE ARMY SUPPLY MANUAL DEPARTMENT OF THE AIR FORCE TECHNICAL ORDER

*Organizational Maintenance Allowances
and Field and Depot Maintenance Stockage Guide
for*

TELEPHONE EE-8; EE-8-A, B, C, D, E

Departments of the Army and the Air Force, Washington 25, D. C.

28 May 1957

Department of the Army Supply Manual SIG 7 & 8 EE-8/TO 31W1-3EE8-14, 29 October 1956,
is changed as follows:

<p>2' 2nd sp' 5' Column column number in column 1. 400</p>	<p>2330-120-2184</p>	<p>2330-120-2188</p>	<p>2340-380-1190 2340-349-0303</p>	<p>2340-380-1190 2340-349-0303</p>
<p>2' 2nd sp' 5' Column column number in column 1. 400</p>				

copy 1

PAGE	ACTION	(1) SIGNAL CORPS STOCK NO.	(2) FEDERAL STOCK NO.	(5) DESCRIPTION	(6) QUANTITY PER EQUIPMENT	(7) RUNNING SPARES, (1st echelon)	(8) MAINTENANCE						(9) Stock guide		(10) SUPPLY		(11) EXPENDABILITY NOTE			
							Authorized allowances, organizational			Field repair shops			Depot repair shop		Army technical (50 equip.)	Base (100 equip.)		5th (100 equip.)	(a)	(b)
							Tactical organization	Fixed station		3d	4th (50 equip.)	5th (100 equip.)	(a)	(b)						
								2d	Equip.						Equip.	1-4 equip.		5-20 equip.		
1	Delete item Change columns 5, 8a, and 8b.		5975-243-6262 5340-285-7730	CLAMP, ELECTRICAL: * * * CLAMP, LOOP: 1/2" w x 0.040" thk; 0.32025" from loop ctr to nearest mig hole ctr, 9/16" from loop ctr to end of short tongue, 0.240" loop ID, 0.7275" from loop ctr to end of tongue; Sig Dwg #SC-D-20067, item #48; ea. F			0	0												
2	Change columns 5, 8a, and 8b.		5330-186-8779	INSULATOR, WASHER: 5/16" OD x 0.196" ID x 5/8" thk o/a; Sig Dwg #SC-D-20066, item #8; ea. F			0	0												
	Delete stock number in column 1. Add Federal stock number in column 2. Change columns 5, 8a, and 8b.	3G1838-9	5330-186-8784	WASHER, NONMETALLIC: 5/16" OD x 5/16" ID x 1/2" thk o/a; Sig Dwg #SC-D-20066-7; ea. F			0	0												

BY ORDER OF THE SECRETARIES OF THE ARMY AND THE AIR FORCE:

MAXWELL D. TAYLOR,
*General, United States Army,
Chief of Staff.*

OFFICIAL:

HERBERT M. JONES,
*Major General, United States Army,
The Adjutant General.*

N. F. TWINING,
Chief of Staff, United States Air Force.

OFFICIAL:

J. L. TARR,
*Colonel, United States Air Force,
Air Adjutant General.*

DISTRIBUTION:

Active Army:

CNGB	Div	Sp Wpn Comd
ASA	Brig	AMS
Tec Svc, DA	Regt/Gp	POE (OS)
Tec Svc Bd	Bn	Trans Terminal Comd
Hq CONARC	Co	Army Terminals
CONARC Bd	USA Tng Cen	OS Sup Agencies
CONARC Bd Test Sec	ARWC	PG
USA Air Def Comd	CGSC	Arsenals
OS Maj Comd	Br Svc Sch	Plants & Works
OS Base Comd	Gen Depots	Sig Fld Maint Shops
Log Comd	Sig Sec, Gen Depot	Lab
MDW	Depots	Mil Dist
Armies	AH	JBUSMC
Corps	AFIP	

NG: State AG; units—same as Active Army.

USAR: None.

For explanation of abbreviations used, see SR 320-50-1.