

TM 11-6625-2718-24P-1

TECHNICAL MANUAL

**ORGANIZATIONAL DIRECT SUPPORT, AND GENERAL SUPPORT
MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LISTS
(INCLUDING DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS)**

FOR

TEST SET, RADIO FREQUENCY POWER AN/URM-182A/U

HEADQUARTERS, DEPARTMENT OF THE ARMY

15 AUGUST 1979

TECHNICAL MANUAL

No. 11-6625-2718-24P-1 }

HEADQUARTERS
 DEPARTMENT OF THE ARMY
 WASHINGTON, DC, 15 August 1979

**ORGANIZATIONAL, DIRECT SUPPORT, AND GENERAL SUPPORT
 MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LISTS
 (INCLUDING DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS)
 FOR
 TEST SET, RADIO FREQUENCY POWER AN/URM-182A/U**

Current as of 15 May 1979

REPORTING OF ERRORS

You can help improve this manual. If you find any mistakes or if you know of a way to improve the procedures, please let us know. Mail your letter, DA Form 2028 (Recommended Changes to Publications and Blank Forms), or DA Form 2028-2 located in back of this manual direct to: Commander, US Army Communications and Electronics Materiel Readiness Command, ATTN: DRSEL-ME-MQ, Fort Monmouth, NJ 07703.

In either case, a reply will be furnished direct to you.

Table of Contents

	Page	Illus	Figure
SECTION I. Introduction	1		
II. Repair Parts List	5		
GROUP 00 Test Set, Radio Frequency Power AN/URM-182A/U	5	1	
Case Assy	7	2	
Circuit Card Assy	9	3	
Circuit Card Assy	11	4	
Case bottom	13	5	
Cable Assy	15	6	
SECTION III. Special Tools List (Not applicable)			
IV. National Stock Number and Part Number Index	16		

SECTION I

INTRODUCTION

1. Scope

This manual lists spares and repair parts; special tools; special test, measurement and diagnostic equipment (TMDE), and other special support equipment required for performance of organizational, direct support, and general support maintenance of the AN/URM-182A/U. It authorizes the requisitioning and issue "of spares and repair parts as indicated by the source and maintenance codes.

2. General

This Repair Parts and Special Tools List is divided into the following sections:

a. *Section II. Repair Parts List.* A list of spares and repair parts authorized for use in the performance of maintenance. The list also includes parts which must be removed for replacement of the authorized parts. Parts lists are composed of functional groups in numeric sequence, with the parts in each group listed in figure and item number sequence.

b. *Section III. Special Tools List.* Not applicable.

c. *Section IV. National Stock Number and Part Number Index.* A list, in National item identification number (NIIN) sequence, of all National stock numbers (NSN) appearing in the listings, followed by a list, in alphabetic sequence, of all part numbers appearing in the listings. National stock numbers and part numbers are cross-referenced to each illustration figure and item appearance.

3. Explanation of Columns

a. *Illustration.* This column is divided as follows:

(1) *Figure number.* Indicates the figure number of the illustration on which the item is shown.

(2) *Item number.* The number used to identify item called out in the illustration.

b. *Source, Maintenance, and Recoverability (SMR) Codes.*

(1) *Source code.* Source codes indicate the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are entered in the first and second positions of the Uniform SMR Code format as follows:

<i>Code</i>	<i>Definition</i>
PA	Item procured and stocked for anticipated or known usage.

<i>Code</i>	<i>Definition</i>
PE	Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities.
XD	Asupport item that is not stocked. When required, item will be procured through normal supply channels.

NOTE

Cannibalization or salvage maybe used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42.

(2) *Maintenance code.* Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code format as follows:

(a) The maintenance code entered in the third position will indicate the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position will indicate one of the following levels of maintenance:

<i>Code</i>	<i>Application/Explanation</i>
O	Support item is removed, replaced, used at the organizational level.

H—Support item is removed, replaced, used at the general support level.

(b) The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). This position will contain one of the following maintenance codes:

<i>Code</i>	<i>Application/Explanation</i>
O	The lowest maintenance level capable of complete repair of the support item is the organizational level.

D—The lowest maintenance level capable of complete repair of the support item is the depot level.

Z—Nonreparable. No repair is authorized.

(3) *Recoverability code.* Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability

ty code is entered in the fifth position of the Uniform SMR Code format as follows:

<i>Recoverability codes</i>	<i>Definition</i>
-----------------------------	-------------------

Z—Nonreparable item. When unserviceable, condemn and dispose at the level indicated in position 3.

O—Reparable item. When uneconomically repairable, condemn and dispose at organizational level.

D—Reparable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.

c. *National Stock Number.* Indicates the National stock number assigned to the item and will be used for requisitioning purposes.

d. *Part Number.* Indicates the primary number used by the manufacturer (individual, company, firm, corporation, or Government activity), which controls the design and characteristics of the item by means of its engineering drawings, specifications, standards, and inspection requirements to identify an item or range of items.

NOTE

When a stock numbered item is requisitioned, the repair part received may have a different part number than the part being replaced.

e. *Federal Supply Code for Manufacturer (FSCM).* The FSCM is a 5-digit numeric code listed in SB 708-42 which is used to identify the manufacturer, distributor, or Government agency, etc.

f. *Description.* Indicates the Federal item name and, if required, a minimum description to identify the item.

g. *Unit of Measure (Will).* Indicates the standard of the basic quantity of the listed item as used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation (e.g., ea, in, pr, etc). When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

h. *Quantity Incorporated in Unit.* Indicates the quantity of the item used in the breakout shown on the illustration figure, which is prepared for a functional group, subfunctional group, or an assembly. A "V" appearing in this column in lieu of a quantity in-

dicates that no specific quantity is applicable, (e.g., shims, spacers, etc).

4. Special Information

a. The following publications pertain to the AN/URM-182A/U and its components:

TM 11-6625-2718-14, Test Set, Radio Frequency Power AN/URM-182

b. National stock numbers (NSN's) that are missing from P source coded items have been applied for and will be added to this TM by future change/revision when they are entered in the Army Master Data File (AMDF). Until the NSN's are established and published, submit exception requisitions to: Commander, US Army Communications and Electronics Materiel Readiness Command, ATTN: DRSEL-MM, Fort Monmouth, NJ 07703 for the part required to support your equipment.

5. How to Locate Repair Parts

a. When National stock number or part is unknown.

(1) *First.* Using the table of contents, determine the functional group within which the item belongs. This is necessary since illustrations are prepared for functional groups and listings are divided into the same groups.

(2) *Second.* Find the illustration covering the functional group to which the item belongs.

(3) *Third.* Identify the item on the illustration and note the illustration figure and item number of the item.

(4) *Fourth.* Using the Repair Parts Listing, find the figure and item number noted on the illustration.

b. When National stock number or part number is known.

(1) *First.* Using the Index of National Stock Numbers and Part Numbers, find the pertinent National stock number or part number. This index is in NIIN sequence followed by a list of part numbers in alphabetic sequence, cross-referenced to the illustration figure and item number.

(2) *Second.* After finding the figure and item number, locate the figure and item number in the repair parts list.

6. Abbreviations

Not applicable.


**EL5CYOOI**

Figure 1. Test Set, Radio Frequency Power AN/URM-182A/U.

TM 11-6625-2718-24P-1

SECTION II (1) ILLUSTRATION (A) FIG NO	(2) ITEM NO	(3) SMR CODE	(4) NATIONAL STOCK NUMBER	(5) PART NUMBER	(6) DESCRIPTION	(7) (8) QTY INC IN UNIT	
						USABLE ON CODE U/M	
				FSCM	GROUP 00 TEST SET,RADIO FREQUENCY POWER		
1	1	PEHDD	SM-B-937746	80063	AN/URM-182A/U TEST SET,TS3754/U	EA	1
1	2	PAHZZ	SM-B-937747	80063	CASE TEST SET CY-7733/URM-182A	EA	1
1	3	PAHZZ	SM-B-937783	80063	NAMEPLATE	EA	1
1	4	PAHZZ	SM-B-937784	80063	NAMEPLATE	EA	1
1	5	PA000	5995-00-926-8026	SCD599042	80063 CABLE ASSEMBLY,RADIO FREQ CG-1893/U	EA	1





Figure 2. Test Set, Radio Frequency Power AN/URM-182A/U, Case Assy.


(1) FIG NO	(2) ITEM NO	(3) SMR CODE	(4) NATIONAL STOCK NUMBER	PART NUMBER	FSCM	DESCRIPTION	(7) (8) QTY INC IN UNIT		
							USABLE	ON CODE	U/M
2	1	XDHZZ	SM-B-937768	80063	INNER BOX		EA	1	
2	2	PAHZZ	SM-A-937780	80063	STANDOFF		EA	2	
2	3	PAHZZ	SM-B-937771	80063	SWITCH ROTARY		EA	1	
2	4	XDHZZ	AN936A3	88044	LOCKWASHER		EA	1	
2	5	PAHZZ	SM-A-937766	80063	STANDOFF 3-56		EA	2	
2	6	PAHZZ	SM-A-937770	80063	CAPACITOR FEEDTHRU		EA	1	
2	7	XDHZZ	SM-B-937758	80063	CASE ASSEMBLY		EA	1	
2	8	PAHZZ	SM-A-9377-87	80063	STANDOFF		EA	2	
2	9	PAHZZ	5310-00-720-8078	NAS620-3	80205	WASHER,FLAT	EA	6	
2	10	XDHZZ	AN520PB3-4	88044	SCREW MACHINE		EA	4	
2	11	PAHZZ	5310-00-087-0057	MS27183-2	96906	WASHER,FLAT	EA	2	
2	12	PAHZZ	5310-00-579-5554	MS35333-35	96906	WASHER,LOCK	EA	1	
2	13	PAHZZ	5310-00-934-9738	AN340-2	88044	NUT,PLAIN,HEXAGON	EA	2	
2	14	XDHZZ	SM-B-937769	80063	COVER		EA	1	
2	15	PAHZZ	SM-B-937753	80063	CIRCUIT CARD ASSY		EA	1	
2	16	PAHZZ	AN345-3	88044	NUT,PLAIN,HEXAGON		EA	6	
2	17	PAHZZ	SM-B-937748	80063	CIRCUIT CARD ASSY		EA	1	
2	18	PAHZZ	SM-B-937779	80063	WARNING PLATE		EA	1	
2	19	XDHZZ	SM-A-937785	80063	O RING SEAL		EA	1	
2	20	PAHZZ	SM-A-937763	80063	GASKET,CASE		EA	1	
2	21	XDHZZ	SM-A-937765	80063	PLATE MARKING		EA	1	
2	22	PAHZZ	SM-A-937790	80063	SCREW,SEALING		EA	2	
2	23	PAHZZ	SM-A-937761-3	80063	SCREW,MACHINE		EA	6	
2	24	PAHZZ	SM-B-937778	80063	NAMEPLATE		EA	1	
2	25	PAHZZ	SM-A-937786	80063	KNOB,BAR		EA	1	
2	26	PAHZZ	SM-D-937760	80063	METER, INDICATING		EA	1	
2	27	PAHZZ	SM-A-93776-1	80063	SCREW,SEALING		EA	1	
2	28	PAHZZ	SM-A-937757-9	80063	WIRE,HOOKUP		EA	V	
2	29	XDHZZ	SM-A-937764	80063	GASKET,METER		EA	1	
2	30	XDHZZ	SM-B-937759	80063	PANEL, FRONT		EA	1	
2	31	PAHZZ	SM-A-937762	80063	LUG,TERMINAL		EA	1	



EL5CY003

Figure 3. Test Set, Radio Frequency Power AN/URM-182A/U, Circuit Card Assy.


(1) FIG NO	(2) ITEM NO	(3) SMR CODE	(4) NATIONAL STOCK NUMBER	(5) PART NUMBER	(6) DESCRIPTION	(7) (8) USABLE ON CODE U/M UNIT		
						QTY INC IN	QTY INC IN	QTY INC IN
3	1	PAHZZ		SM-D-937749	80063	PRINTED WIRING	EA	1
3	2	PAHZZ		SM-B-97751	80063	SEMICONDUCTOR	EA	4
3	3	PAHZZ	5910-00-893-6745	CK05BX102K	81349	CAPACITOR, FIXED, CER	EA	5
3	4	PAHZZ	5905-00-926-8706	RLR20C101GM	81349	RESISTOR, FIXED, FILM	EA	4
3	5	PAHZZ		UG290A/U	81349	CONNECTOR	EA	2
3	6	PAHZZ		SM-A-937752	80063	SPACER	EA	2
3	7	PAHZZ		SM-A-937788	80063	WIRE, BARE	EA	2
3	8	PAHZZ		SM-A-937750	80063	COIL ASSY	EA	2
3	9	PAHZZ		SM-A-937789	80063	TERMINAL	EA	4



EL5CY004

Figure 4. Test Set, Radio Frequency Power AN/URM-182A/U, Circuit Card Assy.


(1) FIG NO	(2) ITEM NO	(3) SMR CODE	(4) NATIONAL STOCK NUMBER	(5) PART NUMBER	(6) DESCRIPTION	(7) (8) USABLE ON CODE U/M QTY INC IN UNIT			
						(7)	(8)	QTY	INC
4	1	PAHZZ	5905-00-431-5162	RNR55K1472FM	81349	RESISTOR, FIXED, FILM	EA	3	IN
4	2	PAHZZ	5961-00-903-2990	JAN1N4372A	81349	SEMICONDUCTOR DEVICE	EA	1	UNIT
4	3	PAHZZ	5910-00-893-6745	CK05BX102K	81349	CAPACITOR, FIXED, CER	EA	2	
4	4	PAHZZ		RLR07C124JM	81349	RESISTOR, FIXED FILM	EA	1	
4	5	PAHZZ		SM-A-937756	80063	THERMISTOR	EA	1	
4	6	PAHZZ		SM-A-937754	80063	RESISTOR VARIABLE	EA	2	
4	7	PAHZZ		SM-A-937755	80063	RESISTOR VARIABLE	EA	2	
4	8	PAHZZ		SM-A-937789	80063	TERMINAL	EA	2	
4	9	PAHZZ	5905-00-432-0402	RNR55K2002FM	81349	RESISTOR, FIXED FILM	EA	1	
4	10	PAHZZ		SM-D-937782	80063	PRINTED WIRING	EA	1	



EL5CYOOS

Figure 5. Test Set, Radio Frequency Power AN/URM-182A/U, Case Bottom.

SECTION II		(2)	(3)	(4)	(5)	(6)	DESCRIPTION			(7)	(8)	
(1) ILLUSTRATION (A)	(B) FIG NO	ITEM NO	SMR CODE	NATIONAL STOCK NUMBER	PART NUMBER	FSCM				USABLE ON	CODE U/M	QTY INC IN UNIT
5	1	XDHZZ		SM-B-937772	80063	CASE BOTTON				EA	1	
5	2	PAHZZ		SM-A-937761-2	80063	SCREW,SEALING				EA	1	
5	3	PAHZZ		SM-A-937776	80063	V BLOCK				EA	1	
5	4	PAHZZ		SM-A-937777	80063	E RING STAINLESS				EA	1	
5	5	PAHZZ		SM-A-937774	80063	THUMBSCREW				EA	1	
5	6	PAHZZ		SM-A-937775	80063	SQUARE BLOCK				EA	1	



EL5CY006

Figure 6. Test Set, Radio Frequency Power AN/URM-182A/U,
Cable Assy.

TM 11-6625-2718-24P-1

(1) ILLUSTRATION (A)	(2) ITEM NO	(3) SMR CODE	(4) NATIONAL STOCK NUMBER	(5) PART NUMBER	(6) DESCRIPTION	(7) (8) USABLE ON CODE U/M UNIT		
						QTY INC IN	QTY INC IN	QTY INC IN
6	1	PAHZZ	RG223/U	81349	CABLE, RADIO FREQUEN	EA	1	
6	2	PAHZZ	SM-B-16914	80063	BAND IDENTIFICATION	EA	1	
6	3	PAHZZ	UG88F/U	81349	CONNECTOR	EA	2	

SECTION IV

NATIONAL STOCK NUMBER AND PART NUMBER INDEX

STOCK NUMBER	FIGURE NO	ITEM NO	STOCK NUMBER	FIGURE NO	ITEM NO
5310-00-087-0057	2	11	5910-00-893-6745	4	3
5905-00-431-5162	4	1	5961-00-903-2990	4	2
5905-00-432-0402	4	9	5995-00-926-8026	1	5
5310-00-579-5554	2	12	5905-00-926-8706	3	4
5310-00-720-8078	2	9	5310-00-934-9738	2	13
5910-00-893-6745	3	3			
FSCM	PART NUMBER	FIGURE NO	ITEM NO	FSCM	PART NUMBER
AN340-2	88044	2	13	SM-A-937775	80063
AN345-3	88044	2	16	SM-A-937776	80063
AN520PB3-4	88044	2	10	SM-A-937777	80063
AN936A3	88044	2	4	SM-A-937780	80063
CK05BX102K	81349	3	3	SM-A-937785	80063
CK05BX102K	81349	4	3	SM-A-937786	80063
JAN1N4372A	81349	4	2	SM-A-937788	80063
MS27183-2	96906	2	11	SM-A-937789	80063
MS35333-35	96906	2	12	SM-A-937789	80063
NAS620-3	80205	2	9	SM-A-937790	80063
RG223/U	81349	6	1	SM-B-16914	80063
RLR07C124JM	81349	4	4	SM-B-937746	80063
RLR20C101GM	81349	3	4	SM-B-937747	80063
RNR55K1472FM	81349	4	1	SM-B-937748	80063
RNR55K2002FM	81349	4	9	SM-B-937753	80063
SCD599042	80063	1	5	SM-B-937758	80063
SM-A-9377-87	80063	2	8	SM-B-937759	80063
SM-A-937750	80063	3	8	SM-B-937768	80063
SM-A-937752	80063	3	6	SM-B-937769	80063
SM-A-937754	80063	4	6	SM-B-937771	80063
SM-A-937755	80063	4	7	SM-B-937772	80063
SM-A-937756	80063	4	5	SM-B-937778	80063
SM-A-937757-9	80063	2	28	SM-B-937779	80063
SM-A-93776-1	80063	2	27	SM-B-937783	80063
SM-A-937761-2	80063	5	2	SM-B-937784	80063
SM-A-937761-3	80063	2	23	SM-B-97751	80063
SM-A-937762	80063	2	31	SM-D-937749	80063
SM-A-937763	80036	2	20	SM-D-937760	80063
SM-A-937764	80063	2	29	SM-D-937782	80063
SM-A-937765	80063	2	21	UG290A/U	81349
SM-A-937766	80063	2	5	UG88F/U	81349
SM-A-937770	80063	2	6		6
SM-A-937774	80063	5	5		3

By Order of the Secretary of the Army

E. C. Meyer
General, United States Army
Chief of Staff

Official:

J. C. PENNINGTON
Major General, United States Army
The Adjutant General

Distribution:

Active Army:

TSG (1)
USAARENBD (1)
USAISNSCOM (2)
TRAADOC (2)
DARCOM (1)
TECOM (2)
OS Maj Comd (2)
USACC (2)
HISA (Ft Monmouth)
Armies (1)
USASIGS (10)
Svc Colleges (1)
Fort Huachuca (5)
Fort Richardson (CERCOM Ofc) (1)
Fort Carson (5)
Fort Gillem (10)
WSMR (1)

USAERDAA (1)
USAERDAW (1)
Army Dep (1) except:
 LBAD (10)
 SAAD (30)
 TOAD (14)
 SHAD (3)
USA Dep (1)
Sig Sec USA Dep (1)
Units org under fol TOE:
 (1 copy each unit)
 29-134
 29-136
 (2 copies each unit)
 29-207
 29-610

ARNG: None

USAR: None

For explanation of abbreviations used, see AR 310-50

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL MANUALS

SOMETHING WRONG WITH THIS MANUAL?

THEN...JOT DOWN THE DOPE ABOUT IT ON THIS FORM, TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL!

FROM: (YOUR UNIT'S COMPLETE ADDRESS)

Commander
Stateside Army Depot
ATTN: AMSTA-US
Stateside, N.J. 07703

DATE 4 April 1978

PUBLICATION NUMBER

DATE

TITLE

TM 11-5840-340-14&P

23 Jan 74

Radar Set N/PLC-76

BE EXACT...PIN-POINT WHERE IT IS

IN THIS SPACE TELL WHAT IS WRONG
AND WHAT SHOULD BE DONE ABOUT IT:

TEAR ALONG DOTTED LINE

PAGE NO.	PARA-GRAPH	FIGURE NO.	TABLE NO.	REASON
2-25	2-28			Recommend that the installation antenna alignment procedure be changed through step 2 to specify a 2° IFF antenna lag rather than 1°.
3-10	3-3	3-1		Item 5, Function column. Change "2 db" to "3db." REASON: Experience has shown that with only a 1° lag, the antenna servo system is too sensitive to wind gusting in excess of 5 knots, and has a tendency to rapidly accelerate and decelerate as it hunts, causing strain to the drive train. Hunting is minimized by adjusting the lag to 2° without degradation of operation.
5-6	5-8			Add new step f.1 to read, "Replace cover plate removed in step e.1, above." REASON: To replace the cover plate.
E-5				For item 2, change the NSN to read: 5835-00-134-9186. REASON: Accuracy.
E-8		E-3		Identify the cover on the junction box (item no. 5). REASON: It is a separate item and is not called out on figure 19.
E-9				Add the cover of the junction box as an item in the listing for figure 19. REASON: Same as above.

TYPED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SSG I. M. DeSpiritof 999-1776

SIGN HERE:

DA FORM 2028-2
1 AUG 74

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR MANUAL "FIND" MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL MANUALS

SOMETHING WRONG WITH THIS MANUAL?

THEN... JOT DOWN THE
DOPE ABOUT IT ON THIS
FORM, TEAR IT OUT, FOLD
IT AND DROP IT IN THE
MAIL!

FROM: (YOUR UNIT'S COMPLETE ADDRESS)

DATE

PUBLICATION NUMBER	DATE	TITLE TEST SET, RADIO FREQUENCY POWER AN/URM-182A/U
TM 11-6625-2718-24P-1	15 Aug 79	

BE EXACT... PIN-POINT WHERE IT IS

IN THIS SPACE TELL WHAT IS WRONG
AND WHAT SHOULD BE DONE ABOUT IT:

PAGE NO.	PARA-GRAPH	FIGURE NO.	TABLE NO.

TYPED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SIGN HERE:

DA FORM 1 AUG 74 2028-2

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR MANUAL "FIND," MAKE
A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

FILL IN YOUR
UNIT'S ADDRESS



FOLD BACK

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

TEAR ALONG DOTTED LINE

Commander
US Army Communications and
Electronics Materiel Readiness Command
ATTN: DRSEL-ME-MQ
Fort Monmouth, New Jersey 07703

FOLD BACK

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL MANUALS

SOMETHING WRONG WITH THIS MANUAL?

THEN... JOT DOWN THE
DOPE ABOUT IT ON THIS
FORM, TEAR IT OUT, FOLD
IT AND DROP IT IN THE
MAIL!

FROM: (YOUR UNIT'S COMPLETE ADDRESS)

DATE

PUBLICATION NUMBER	DATE	TITLE
TM 11-6625-2718-24P-1	15 Aug 79	TEST SET, RADIO FREQUENCY POWER AN/URM-182A/U

BE EXACT... PIN-POINT WHERE IT IS

IN THIS SPACE TELL WHAT IS WRONG
AND WHAT SHOULD BE DONE ABOUT IT:

PAGE NO.	PARA-GRAPH	FIGURE NO.	TABLE NO.

TYPED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SIGN HERE:

DA FORM 1 AUG 74 2028-2

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR MANUAL "FIND," MAKE
A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

FILL IN YOUR
UNIT'S ADDRESS

FOLD BACK

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

TEAR ALONG DOTTED LINE

Commander
US Army Communications and
Electronics Materiel Readiness Command
ATTN: DRSEL-ME-MQ
Fort Monmouth, New Jersey 07703

FOLD BACK

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL MANUALS



SOMETHING WRONG WITH THIS MANUAL?

THEN. . .JOT DOWN THE
DOPE ABOUT IT ON THIS
FORM, TEAR IT OUT, FOLD
IT AND DROP IT IN THE
MAIL!

FROM: (YOUR UNIT'S COMPLETE ADDRESS)

PAGE

PUBLICATION NUMBER
TM 11-6625-2718-24P-1

DATE

**TITLE TEST SET, RADIO FREQUENCY
POWER AN/URM-182A/U**

BE EXACT...PIN-POINT WHERE IT IS

**IN THIS SPACE TELL WHAT IS WRONG
AND WHAT SHOULD BE DONE ABOUT IT:**

TEAR ALONG DOTTED LINE

				<h1>SOMETHING WRONG WITH THIS MANUAL?</h1>		
<p>THEN...JOT DOWN THE DOPE ABOUT IT ON THIS FORM, TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL!</p>				<p>FROM: (YOUR UNIT'S COMPLETE ADDRESS)</p>		
				DATE		
<p>PUBLICATION NUMBER</p> <p>TM 11-6625-2718-24P-1</p>				DATE	<p>TITLE TEST SET, RADIO FREQUENCY POWER AN/URM-182A/U</p>	
<p>BE EXACT...PIN-POINT WHERE IT IS</p> <p>IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:</p>						
PAGE NO.	PARA-GRAPH	FIGURE NO.	TABLE NO.			
<p>TYPED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER</p>				<p>SIGN HERE:</p>		

SIGN HERE:

DA FORM 1 AUG 74 2028-2

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR MANUAL "FIND," MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

FILL IN YOUR
UNIT'S ADDRESS

FOLD BACK

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

Commander
US Army Communications and
Electronics Materiel Readiness Command
ATTN: DRSEL-ME-MQ
Fort Monmouth, New Jersey 07703

TEAR ALONG DOTTED LINE

FOLD BACK

THE METRIC SYSTEM AND EQUIVALENTS

WEAR MEASURE

Centimeter = 10 Millimeters = 0.01 Meters = 0.3937 Inches
 1 Meter = 100 Centimeters = 1000 Millimeters = 39.37 Inches
 1 Kilometer = 1000 Meters = 0.621 Miles

WEIGHTS

Gram = 0.001 Kilograms = 1000 Milligrams = 0.035 Ounces
 1 Kilogram = 1000 Grams = 2.2 lb.
 1 Metric Ton = 1000 Kilograms = 1 Megagram = 1.1 Short Tons

LIQUID MEASURE

1 Milliliter = 0.001 Liters = 0.0338 Fluid Ounces
 1 Liter = 1000 Milliliters = 33.82 Fluid Ounces

SQUARE MEASURE

1 Sq. Centimeter = 100 Sq. Millimeters = 0.155 Sq. Inches
 1 Sq. Meter = 10,000 Sq. Centimeters = 10.76 Sq. Feet
 1 Sq. Kilometer = 1,000,000 Sq. Meters = 0.386 Sq. Miles

CUBIC MEASURE

1 Cu. Centimeter = 1000 Cu. Millimeters = 0.06 Cu. Inches
 1 Cu. Meter = 1,000,000 Cu. Centimeters = 35.31 Cu. Feet

TEMPERATURE

$5/9(F - 32) = ^\circ C$
 212° Fahrenheit is equivalent to 100° Celsius

90° Fahrenheit is equivalent to 32.2° Celsius
 32° Fahrenheit is equivalent to 0° Celsius

$9/5C + 32 = ^\circ F$

APPROXIMATE CONVERSION FACTORS

TO CHANGE

Inches.....
 Feet.....
 Yards.....
 Miles.....
 Square Inches.....
 Square Feet.....
 Square Yards.....
 Square Miles.....
 Acres.....
 Cubic Feet.....
 Cubic Yards.....
 Fluid Ounces.....
 pts.....
 arts.....
 allons.....
 Ounces.....
 Pounds.....
 Short Tons.....
 Pound-Feet.....
 Pounds per Square Inch.....
 Miles per Gallon.....
 Miles per Hour.....

TO

Centimeters.....
 Meters.....
 Meters.....
 Kilometers.....
 Square Centimeters.....
 Square Meters.....
 Square Meters.....
 Square Kilometers.....
 Square Hectometers.....
 Cubic Meters.....
 Cubic Meters.....
 Milliliters.....
 Liters.....
 Liters.....
 Liters.....
 Grams.....
 Kilograms.....
 Metric Tons.....
 Newton-Meters.....
 Kilopascals.....
 Kilometers per Liter.....
 Kilometers per Hour.....

MULTIPLY BY

2.540
 0.305
 0.914
 1.609
 6.451
 0.093
 0.836
 2.590
 0.405
 0.028
 0.765
 29.573
 0.473
 0.946
 3.785
 28.349
 0.454
 0.907
 1.356
 6.895
 0.425
 1.609

TO CHANGE


Centimeters.....
 Meters.....
 Meters.....
 Kilometers.....
 Square Centimeters.....
 Square Meters.....
 Square Meters.....
 Square Kilometers.....
 Square Hectometers.....
 Cubic Meters.....
 Cubic Meters.....
 Milliliters.....
 Liters.....
 Liters.....
 ers.....
 ms.....
 ograms.....
 Metric Tons.....
 Newton-Meters.....
 Kilopascals.....
 ometers per Liter.....
 ometers per Hour.....

TO

Inches.....
 Feet.....
 Yards.....
 Miles.....
 Square Inches.....
 Square Feet.....
 Square Yards.....
 Square Miles.....
 Acres.....
 Cubic Feet.....
 Cubic Yards.....
 Fluid Ounces.....
 Pints.....
 Quarts.....
 Gallons.....
 Ounces.....
 Pounds.....
 Short Tons.....
 Pounds-Feet.....
 Pounds per Square Inch.....
 Miles per Gallon.....
 Miles per Hour.....

MULTIPLY BY

0.394
 3.280
 1.094
 0.621
 0.155
 10.764
 1.196
 0.386
 2.471
 35.315
 1.308
 0.034
 2.113
 1.057
 0.264
 0.035
 2.205
 1.102
 0.738
 0.145
 2.354
 0.621



PIN: 042893-000