

*Superseded by Sig 748 EE-8, May 1951*

# ARMY SERVICE FORCES CATALOG

# SIG 8-EE-8

Ref. TM 11-333

## SIGNAL SUPPLY CATALOG

### *Higher Echelon Spare Parts for Telephone EE-8, A, B*

*Supersedes SIG 8-EE-8 dated 1 July 1944*

The following catalog pamphlets are also necessary for higher echelon maintenance of the above equipment:

SIG 8 GN-38

SIG 8 TS-9

#### SPECIAL NOTE

Dry batteries shown are used with the equipment but not part of it. They will not be automatically preshipped (except for new equipments) but are to be requisitioned in quantities necessary for the particular organization and/or theatre.

See "SIG 1, Introduction", for general description of Ground Non-Radar equipment catalog pamphlets in the SIG 8 series. These notes cover expendability, requisitioning instructions, and explanations of the use of these pamphlets.

HEADQUARTERS, ARMY SERVICE FORCES,  
WASHINGTON 25, D. C., 10 FEB 1945.

Army Service Forces Signal Supply Catalog Sig 8, EE-8 Higher Echelon Spare Parts for Telephone EE-8, A, B, has been prepared under the supervision of the Chief Signal Officer and is published for the information and guidance of all concerned.

[SPX 461 (25 Jan 45).]

BY COMMAND OF LIEUTENANT GENERAL SOMERVELL:

OFFICIAL:

J. A. ULIO,  
Major General,  
The Adjutant General.

W. D. STYER,  
Lieutenant General, U. S. A.  
Chief of Staff.

DISTRIBUTION:

AAF (10); AGF (10); ASF (2); Dept (10); AAF Comds (2); Arm & Sv Bd (2); S Div ASF (1); Def Comd (2); Tech Sv (2); SvC (10); Area Sv C (5); ATC (5); PE (5); ASF Dep (Sig Sec) (5); Dep 11 (5); Gen Oversea SOS Dep (Sig Sec) (5); AGF Repl Dep (5); Proc Dist 11 (5); Inspe Zones 11 (5); Gen & Sp Sv Sch (3); USMA (2); Lab 11 (5); Sv C Rep Sh (5); Rep Sh 11 (5); WDGS Lib (5); A (10); CHQ (10); D (2); AF (2); Six (6) copies to each of the following: T/O & E 11-7, 11-15, 11-47, 11-57, 11-95, 11-107, 11-127, 11-237, 11-517, 11-557, 11-577, 11-587, 11-592, 11-597.

For explanation of symbols, see FM 21-6.

Headquarters, Army Service Forces

10 Feb 1945

IDENTIFICATION				Nomenclature	Unit of Measure	Quantity per equipment	Maintenance Initial working guide			Supply Initial stockage guide			
Item No.	Reference Symbol	Illustration Fig. No.	Stock No.				3d echelon		4th	Army depot	Base depot 1 year		
							16-30 Equip.	31-70 Equip.				71-130 Equip.	100 Equip.
			4B5008	TELEPHONE EE-8, A, B: portable; local battery telephone intended for general field purposes. Can be used on common-battery lines by setting screw switch to common battery position.	ea.	2							
			(Order through AGO channels) 2Z531-160 4B5008A/63	TECHNICAL MANUAL TM 11-333.	ea.								
1.			4B5008B/10	BAG BG-160: landing; rubber (amphibious landing bag).	ea.	1				4	12	20	
2.		4, 9.	4B3371/E5	BOARD: terminal; less screw sw, lever sw, and jack assembly.	ea.	1				3	8	12	
3.		4, 8, 9.	3D355	CAPACITOR CA-355: fixed; paper; 3 sect, 500,000 mmf-300,000 mmf-2 mf; 200 vdw, each sect. (line, receiver and ringer circuit).	ea.	1	2	3	4	3	4	12	20
4.			4B5008B/10	CASE ASSEMBLY: canvas duck or cotton belting.	ea.	1							
5.			2Z2637-13	CLAMP: band; steel, bank; zinc or lead alloy coated; 1/4" OD x 1/4" wide x 1/2" thick (for Cord CC-333).	ea.	1							
6.			2Z2637-12	CLAMP: hook; for Cord CC-333 (for staycord).	ea.	1							
7.		4, 8, 9.	3C105	COIL C-105: telephone; induction.	ea.	1	1	1	2	5	5	15	25
8.		5.	4B3371/E5	COIL: electromagnet; 2 coils; less yoke (for ringer MC-131).	ea.	1							
9.		4, 8, 9.	3C158	COIL C-158: telephone; retardation.	ea.	1	1	1	2		3	5	7
10.		5, 9.	3E333	CORD CC-333: handset; 6 ft; 3 cond.	ea.	1	10	20	40	20	40	115	190
11.		1.	4B454	CRANK GC-9: generator; folding type.	ea.	1	1	2	3	3	3	9	15
12.			4B838/D1	DISC: rubber or corrugate; Kellogg #66233 (moisture sealing gasket).	ea.	1	4	8	14	7	14	40	70
13.		1.	6Z3810	FASTENER: snap; Lift-the-Dot type (for leather carrying case).	ea.	1							
14.		1.	6Z3810-4	FASTENER: snap; Lift-the-Dot type (for canvas carrying case).	ea.	1							
15.		4, 8, 9.	4B838B	GENERATOR GN-38-B; hand telephone ringer; 3 bars (may be substituted for GN-38 and GN-38-A).	ea.	1	1	2	3				
16.		3, 5, 9.	4B1109	HANDSET TS-9	ea.	1	2	4	7	4	7	21	35

17	3G1837-3	INSULATOR: bushing; phenolic; $\frac{3}{4}$ " long x $\frac{1}{2}$ " OD x 0.196" hole (generator insulating bushing).	ea.	1	1	1	2	3	5	7
18	3G1838-9	INSULATOR: bushing; phenolic; $\frac{1}{2}$ " long x $\frac{1}{2}$ " OD x 0.104" ID (generator mounting washer).	ea.	1	1	1	2	3	5	7
19	4B5008A/20	JACK ASSEMBLY: telephones; includes mtg. screws (part of terminal block assembly).	ea.	1	1	2	3	3	8	12
20	4B3371	RINGER MC-131; telephone	ea.	1	1	1	2	3	6	9
21	6L4115-3SP	RIVET AND BURR: steel, parkerized; rivet $\frac{3}{8}$ " long x $\frac{1}{2}$ " dia. FH (case and strap repair).	ea.	6	17	35	70	35	70	350
22	4Z3785	STAYCORD: braided; St. Carl part #20089 (for Cord CC-333).	ea.	1	2	3	5	3	5	25
23	2Z9047-2	STRAP: carrying; cotton webbing; SC-D-4156-C, item 2.	ea.	1	3	6	9	5	9	45
24	4B5008/12.1	STRAP: carrying; leather; with buckle but without D-ring and clip.	ea.	1	3	6	9	5	9	45
25	4B5008/SI	SWITCH ASSEMBLY: telephone; lever and screw switch with mtg. screws.	ea.	1	1	2	3	3	8	12
26	3Z10156	TERMINAL TM-156: spade type.	ea.	3	6	6	12	12	30	48
27	3Z10182	TERMINAL TM-182: spade type.	ea.	3	6	6	12	12	30	48
28	3A30	BATTERY BA-30: 1 1/2 volts	ea.	2				800	2,400	2,400
		Estimated Weight	lbs	5	9	15				
		Estimated Volume	cu ft	.2	.4	.6				

☆ U. S. GOVERNMENT PRINTING OFFICE : 1945 590345