

Superseded by TM 11-5965-219-12P, 7 July 1959, and
-35P, 9 July 1959

*SIG 7 & 8 H-17/GT

TO 31W1-2GT-144

DEPARTMENT OF THE ARMY SUPPLY MANUAL

Organizational Maintenance Allowances

and Field and Depot Maintenance Stockage Guide

for

CHEST UNIT H-17/GT

Department of the Army, Washington 25, D. C.,

24 January 1957

1. A copy of SIG 1 and DA Pam 310-21 should be available to every user of the Signal portion of the Army supply manual.

a. SIG 1 explains the purpose and use of the Signal portion of the Army supply manual.

b. DA Pam 310-21 contains alphabetical and numerical indexes of available manuals in the Signal portion of the Army supply manual.

2. Items marked X under expendability note are expendable within the meaning of AR 735-4; nonexpendable items are marked NX.

3. SIG 7 & 8 T-51 is also required for complete maintenance allowance data of the equipment covered herein.

4. A percent symbol (%) indicates the item is authorized for use in the category of maintenance indicated and may be requisitioned when required. Not authorized for stockage.

5. The Federal stock number column lists the 11-digit Federal stock number assigned by the Cataloging Division, OASD (S&L). The Federal

stock number will be used for requisitioning purposes.

6. SIG 7 & 8 H-17/GT comprises two parts as follows:

a. *Maintenance Items.* A list of parts for repair and supply facilities.

b. *Basic Issue Items.* A list of component parts showing the quantities of each that comprise a complete operating equipment, including running spares, that is, those spare parts shipped concurrently with the equipment, and accessories. A dagger in the subassembly column indicates the item is a subassembly item for which the supply manual, prepared to cover the specific component is required for a complete breakdown of the initial issue item.


7. Comments relative to technical data discrepancies in this manual should be forwarded to—

CO, Signal Equipment Support Agency
Fort Monmouth, N. J.
ATTN: SIGFM/ES-PMA.

* This manual supersedes DA Supply Manual SIG 7 & 8 H-17/GT, 14 November 1955.

PROPERTY OF THE TECHNICAL LIBRARY
DO NOT REMOVE FROM BUILDING

Copy 1



MAINTENANCE ITEMS

SIGNAL CORPS STOCK NUMBER	FEDERAL STOCK NUMBER	REFERENCE SYMBOL	DESIGNATION BY	DESCRIPTION	QUANTITY PER EQUIP	RUNNING SPARES	MAINTENANCE										EXPENDABILITY				
							AUTHORIZED ALLOWANCES		STOCK GUIDE					SUPPLY							
							ORGANIZATION 1-4	EQUIP	FIXED STATION	ECHOLON 2ND	EQUIP	EQUIP	EQUIP	EQUIP	EQUIP	EQUIP		EQUIP	DEPOT REPAIR SHOP	ARMY TAC	BASE
	5965-164-8084			CHEST UNIT H-17/GT: carbon type mic; 30 ohm, 60 ma, 300 to 3000 cyc, 40 db output above 1 mv for 28 dynes; steel plate w/plastic case attached; arm mtd; chest plate suspended by neckstrap; ea																	
	5306-498-8657			BOLT, EXTERNALLY RELIEVED BODY: #10-32 NF-2 x 7/16" lg; FHS; Sig dwg #SC-D-17109-14; ea	1													X			
4B419-51				CHEST UNIT T-51: spring pile-up; rocker arm actuator; DPST; DC, 185 ma, 48 v; plastic case mtd on aluminum plate; black finish; 6" lg x 3-1/2" wd x 1-1/8" h o/a; ea	1													NX			
	5965-355-8802			CLIP: strap slide for holding cord in place; phosphor bronze; 1-3/16" lg x 3/4" wd x 9/16" d o/a; Sig dwg #SC-B-17099; ea	1													X			
	5805-240-4345			CONTACT, ELECTRICAL: misc element; 3/16" w x 1-3/16" lg x 1/4" h; Sig dwg #SC-D-17108-5; ea	2													X			
	5995-164-6472			CORD CX-714/U: uses AN type WD-27/U; 2 cond stranded #24 AWG wire; 13" lg o/a; ea	1													X			
	5965-161-0094			MOUHPHIECE MICROPHONE: for xmtr unit; 2-11/32" dia x 1-1/8" h o/a; Sig dwg #SC-D-17108 item 3; ea	1													X			
	5310-285-1676			NUT, PLAIN, HEXAGON: steel; 3/8"-32 NS-2; 1/2 w across flats, 5/16" h o/a; Sig dwg #SC-D-17109-9; ea	1													X			
	5310-498-8623			NUT, PLAIN, KNURLED: int thd #10-32 thru knob; 3/8" lg; head 3/16" thk x 13/16" dia; Sig dwg #SC-D-17109-15; ea	1													X			

By Order of Wilber M. Brucker, Secretary of the Army:

MAXWELL D. TAYLOR,
General, United States Army,
Chief of Staff.

Official:

HERBERT M. JONES,
Major General, United States Army,
The Adjutant General.

Distribution:

Active Army:

CNGB
ASA
Tec Svc, DA
Tec Svc Bd
Hq CONARC
CONARC Bd
CONARC Bd Test Sec
Army AA Comd
OS Maj Comd
OS Base Comd
Log Comd
MDW
Armies
Corps
Div
US Army Tng Cen
Ft & Cp
Gen & Br Svc Sch
USMA
Gen Depots
Sig Sec, Gen Depots
Depots
AH
ASMPA
AFIP
WRAMC
Sp Wpn Comd
POE (OS)
Trans Terminal Comd
Army Terminals
OS Sup Agencies
PG
Arsenals
Plants & Works
Sig Fld Maint Shops
ACS
Lab
Mil Dist
Trans Zones
JBUSMC
Units org under fol TOE:
3-226R
3-267R
5-325R
5-412R
5-415R
5-416R
5-417R

Units org under fol TOE:—Con.

6-100C
6-101C
6-115R
6-116R
6-125C
6-126C
6-135C
6-136C
6-200C
6-201C
6-225C
6-226C
6-235C
6-236C
6-300C
6-301C
6-315C
6-316C
6-325C
6-326C
6-401C
6-415R
6-416R
6-435R
6-501C
6-515R
6-525C
6-535R
6-536R
6-545C
6-575C
6-576C
6-577C
7-1C
7-25R
7-27R
11-7C
11-16C
11-18C
11-57C
11-97R
11-116R
11-117R
11-127R
11-128C
11-500R
11-537R
11-557C

Units org under fol TOE:—Con.

11-587R
11-597R
17-1C
17-45C
17-51R
17-52R
17-55R
17-57C
19-35R
19-36R
19-47R
19-55R
19-56R
20-300R
44-8R

Units org under fol TOE:—Con.

44-12C
44-15R
44-16R
44-17R
44-35C
44-36C
44-37C
44-75C
44-76C
44-77C
44-101C
44-145R
44-146R
44-147R
57-57C

NG: State AG; units—same as Active Army.

USAR: None.

For explanation of abbreviations used, see SR 320-50-1.

☆U.S. GOVERNMENT PRINTING OFFICE: 1957—400795/1063