

Superseded by Sig 7-8 TA-264/PT,
ARMY SERVICE FORCES
CATALOG

1 Dec. 1953

SIG 7-TP-9

Ref. TM 11-2059

SIGNAL SUPPLY CATALOG

Pushed PR
Organizational Spare Parts for
Telephone TP-9

Section SIG 7 lists the authorized allowance of spare parts and major components for first and second echelon using organizations.

Section SIG 7 normally is divided into two parts, listing in Section A the authorized maintenance parts for first and second echelon organizations and in Section B the basic issue items for the complete equipment. In this pamphlet, only the authorized maintenance parts are listed since no basic issue list is being prepared.

Replenishment of organizational stocks will be accomplished by requisition of individual items on the W.D., A.G.O. Form 446, "Property Issue Slip." Equipment item numbers should be shown on all requisitions at the end of the Nomenclature and will serve as additional item identification.

EXPENDABILITY

Expendability of individual items will be in accordance with latest edition of Signal Supply Catalog SIG 5 which shows expendability of all items stored and issued by the Signal Corps.

SPECIAL NOTE

Dry batteries shown are used with the equipment but not part of it. They will not be automatically preshipped (except for new equipments) but are to be requisitioned in quantities necessary for the particular organization and/or theatre.

5977829-10079E/396
Headquarters Army Service Forces 10 February 1945

HEADQUARTERS, ARMY SERVICE FORCES,
WASHINGTON 25, D. C., 10 FEBRUARY 1945.

This Army Service Forces Signal Supply Catalog SIG 7-TP-9, Organizational Spare Parts for TELEPHONE TP-9, has been prepared under the supervision of the Chief Signal Officer, and is published for the information and guidance of all concerned.

[SPX 461 (6 Jan 45).]

BY COMMAND OF LIEUTENANT GENERAL SOMERVELL:

OFFICIAL:

J. A. ULIO,
Major General,
The Adjutant General.

W. D. STYER,
Lieutenant General, U.S.A.
Chief of Staff.

DISTRIBUTION:

AAF (10); AGF (10); ASF (2); Dept (10); Def C (2); Arm & Sv Bd (2); WDGS Lib (5); S Div ASF (1); Tech Sv (2); Sv C (10); Area ASv C (5); ATC (5); PE (5); ASF Dep (Sig See) (5); Dep 11 (5); Gen Oversea SOS Dep (5); AGF Repl Dep (5); Pro Dist 11 (5); Inspec Z 11 (5); Gen & Sp Sv Sch (3); USMA (2); Lab 11 (5); Sv C Rep Sh (5); Rep Sh 11 (5); A (10); CHQ (10); D (2); T/O & E: 11-7 (6); 11-15 (2); 11-47 (6); 11-57 (6); 11-95 (2); 11-107 (6); 11-127 (6); 11-237 (6); 11-517 (6); 11-557 (6); 11-577 (6); 11-587 (6); 11-592 (6); 11-597 (6);
T/O & E: 11-97 (6); 44-12 (6).

For explanation of symbols, see FM 21-6.

Section A
 AUTHORIZED MAINTENANCE PARTS
 TELEPHONE TP-9

Reference Number TM 11-2059	Equipment Item Number	Stock Number	Nomenclature	Organizational Spare Parts			
				Unit Quantity per Measure	Running Spares (1st Ech.)	2nd Echelon Stocks	Equipments to be Maintained
				1-3	4-7	8-15	
TP9/13	4B454		CRANK: generator, Sig C crank GC-9, folding handle, overall dimen. when folded 2" x $\frac{1}{8}$ " x 1".	ea--	1	1	1
BA-2	TP9/67	3A2	BATTERY: dry, Sig C battery BA-2, 22 $\frac{1}{2}$ -v, rectangular, $3\frac{1}{2}$ " long x $2\frac{1}{2}$ " wide x $2\frac{1}{2}$ " high overall. Eveready #763, screen and plate.	ea--	3	10	24
BA-27	TP9/68	3A27	BATTERY: dry, Sig C battery BA-27, 4 $\frac{1}{2}$ -v tapped at 3-v and 1 $\frac{1}{2}$ -v, rectangular, 4" long x $1\frac{1}{2}$ " wide x $3\frac{1}{2}$ " high overall. Eveready #714, control.	ea--	1	2	4
BA-65	TP9/69	3A65	BATTERY: dry, Sig C battery BA-65, 1 $\frac{1}{2}$ -v, square, $2\frac{1}{2}$ " x $2\frac{1}{2}$ " x 4" high overall, Eveready #742, filament.	ea--	1	3	7
V1, 2, V3	TP9/70	2A3Q5GT	TUBE: electron, JAN 3Q5GT (VT-221), amplification (Order through AGO channels)	ea--	3	1	7
			Estimated Weights including repair parts of components TECHNICAL MANUAL TM 11-2059	lbs. cu. ft.	2	21	95
			Estimated Volume including repair parts of components		1	2	4

☆ U. S. GOVERNMENT PRINTING OFFICE : 1945

59782