

Superseded by Sig 7+8 SB-54/FTC; 4 May 1955

ARMY SERVICE FORCES CATALOG

SIG 10-732

SIGNAL SUPPLY CATALOG

Fixed Plant Maintenance List
SWITCHBOARD

TECHNICAL REFERENCE: MANUFACTURER'S SPECIFICATION 20730

Manufacturer: **KELLOGG SWITCHBOARD & SUPPLY CO.** Mfr's Model No. **1007-CC (Spcl)**

Headquarters Army Service Forces—October 1945



Supersedes SIG 10-732, January 1945

Refer to "SIG 10-1" and "SIG 10-2" for general instructions regarding use of this list

Mfr's Part No. & Mfr's Code No. (Ref..SIG 10-2)	Reference (See below)	SIG C Stock No.	Nomenclature	Unit of Measure	Quantity per Equipment	Allowance		Initial Stock Guide	
						Station Stock	Regional or Field Stock	Base Depot Stock	Per 100 Equip
1007-C (Spcl)	Mfr's Spec.	4C11007	SWITCHBOARD, 5 x 12 CORDLESS, 1007-CC (Spcl); Telephone, CB, 12 Lines, 5 Trunks, 5 Connecting Lines, consisting of: BATTERY SWITCH CKT CONNECTING CKT GENERATOR CKT LINE CKT NIGHT ALARM CKT OPERATOR'S TELEPHONE CKT (Master-Phone w/dial) TRUNK CKT						
OZ (K2)	Ckt 41475	1A402	BATTERY SWITCH CKT	ea.	1	1	1	10	
1127 (K2)	B.S.C.	4C5011.27	FUSE, wire, 2 amp (8 oz spool) ---	ea.	1	%	%	2	
154-A (K2)	Ckt 41475	4C2154A	CONNECTING CKT	ea.	5	%	%	10	
	C.C.		CAP, sb lamp, red-----	ea.					


657806°-10005A/50

RESTRICTED

PROPERTY OF THE TECHNICAL LIBRARY
DO NOT REMOVE FROM BUILDING

Copy 1

Mfr's Part No. & Mfr's Code No. (Ref. SIG 10-2)	Reference (See below)	SIG C Stock No.	Nomenclature	Unit of Measure	Quantity per Equipment	Allowance	Initial Stock Guide	
						Station Stock	Regional or Field Stock	Base Depot Stock
							1-3 Equip Ref SIG 10-2	1-3 Equip Ref SIG 10-2
1224-TA (K2)	Mfr's Spec. C.C.	4C5424.5	CONNECTING CKT (Continued) LAMP, sb, 24 v, 0.115 amp (stocked for a total of 27 in this equip)	ea.	5	27	27	2700
39 (K2)	C.C.	4C4439	LAMPHOLDER, sb, spring, single (stocked for a total of 27 in this equip)	ea.	5	%	%	27
2081-SV (K2)	5	4C8181	RELAY, sb, arm, 500 ohm	ea.	5	%	1	25
2001-TC (K2)	6	4C8101.6	RELAY, sb, arm, dual, 100-100 ohm	ea.	5	%	1	25
1001 (K2)	List	4C5001	SWITCH, sb, cam type, white handle	ea.	1	%	1	4
1002 (K2)	Con & List	4C5002	SWITCH, sb, cam type, white handle	ea.	2	%	1	8
			GENERATOR CKT					
11 (K2)	Ckt 41475 H.G.	4B904-4	GENERATOR, sb, hand, 3 bar	ea.	1	%	%	2
1028 (K2)	G.C.	4C5010.28	SWITCH, sb, cam type, red handle (stocked for a total of 7 in this equip)	ea.	1	%	1	28
			LINE CKT					
154 (K2)	Ckt 41475 L.C.	4C2154	CAP, sb lamp, white (stocked for a total of 17 in this equip)	ea.	12	%	%	34
1224-TA (K2)	L.C.	4C5424.5	LAMP, sb, 24 v, 0.085-0.115 amp (stocked under ref C.C. in Connecting Ckt)	ea.	12	---	---	---
39 (K2)	L.C.	4C4439	LAMPHOLDER, sb, spring, single (stocked under ref C.C. in Connecting Ckt)	ea.	12	---	---	---
26-D (K2)	Line	4C7926D	RELAY, sb, arm, 500 ohm	ea.	12	%	1	60
1032 (K2)	Con & Ring	4C5010.32	SWITCH, sb, cam type	ea.	12	%	1	48
1049 (K2)	Con	4C5010.49	SWITCH, sb, cam type	ea.	24	%	1	96
			NIGHT ALARM CKT					
10-B (K2)	Ckt 41475 N.A.	4C1600-10B	BUZZER, sb, DC, 24 v, 300 ohm	ea.	1	%	1	3
2102-SHG (K2)	N.A.	4C8199.102	RELAY, sb, arm, 3.5 ohm	ea.	1	%	1	5
1028 (K2)	N.A.	4C5010.28	SWITCH, sb, cam type, red handle (stocked under ref GC in Generator Ckt)	ea.	1	---	---	---
			OPERATOR'S TELEPHONE CKT					
64 (K2)	Ckt 41475 O.C.	3DB2.64	CAPACITOR, fixed, 2 mf (stocked for a total of 6 in this equip)	ea.	1	1	1	24
186 (K2)	C.O.	3DB2.186	CAPACITOR, sb, fixed, dual, 1-2 mf	ea.	1	%	1	4
103-A (K2)	O.C.	3C899.3A	COIL, sb ind	ea.	1	%	1	3
D-200-SAJ (K2)	O.C.	4C8101.5	RELAY, sb, arm, 50 ohm	ea.	1	%	1	5
925-BAX (K2)	O.S.	4B5452	TELEPHONE, w/dial (see SIG 10-811 for maintenance parts)	ea.	1	---	---	---
			TRUNK CKT					
154 (K2)	Ckt 41475 T.C.	4C2154A	CAP, sb lamp, white (stocked under ref L.C. in Line Ckt)	ea.	5	---	---	---
154-W (K2)	T.C.	4C2154W	CAP, sb lamp, green	ea.	5	%	%	10
64 (K2)	G	3DB2.64	CAPACITOR, fixed, 2 mf (stocked under ref O.C. in Operator's Telephone Ckt)	ea.	5	---	---	---



SWITCHBOARD, 5 x 12 CORDLESS

Mfr's Part No. & Mfr's Code No. (Ref. SIG 10-2)	Reference (See below)	SIG C Stock No.	Nomenclature	Unit of Measure	Quantity per Equipment	Allowance		Initial Stock Guide	
						Station Stock	Regional or Field Stock	Base Depot Stock	Per 100 Equip
Mfr's Spec.			TRUNK CKT (Continued)						
132 (K2)	F	3DB1.132	CAPACITOR, fixed, 1 mf-----	ea.	5	%	1	20	
1224-TA (K2)	T.C.	4C5424.5	LAMP, sb, 24 v, 0.085-0.115 amp (stocked under ref C.C. in Connecting Ckt)	ea.	10				
39 (K2)	T.C.	4C4439	LAMPHOLDER, sb, spring, single (stocked under ref C.C. in Connecting Ckt)	ea.	10				
2005-SDG (K2)	1	4C8105	RELAY, sb, arm, 800 ohm-----	ea.	5	%	1	25	
A-2093-CEA (K2)	2	4C8193	RELAY, sb, arm, dual, 250-775 ohm	ea.	5	%	1	25	
D-2029-SAK (K2)	3	4C8129.11	RELAY, sb, arm, 100 ohm-----	ea.	5	1	1	25	
2037-SV (K2)	4	4C8137.2	RELAY, sb, arm, 500 ohm-----	ea.	5	%	1	25	
1028 (K2)	Night Sw	4C5010.28	SWITCH, sb, cam type, red handle (stocked under ref GC in Generator Ckt)	ea.	5				
1051 (K2)	Con	4C5010.51	SWITCH, sb, cam type, red handle	ea.	10	%	1	40	
1052 (K2)	Con & Ans	4C5010.52	SWITCH, sb, cam type, red handle	ea.	5	%	1	20	

Those spare parts items not regularly authorized for stockage by using organizations but which may be obtained through normal requisitioning procedure where a repair operation involving the parts is considered practicable are indicated by a percent symbol (%) in the appropriate column.

Expendability of individual items will be in accordance with the latest edition of Signal Supply Catalog, SIG 5, which shows expendability of all items stored and issued by the Signal Corps.

HEADQUARTERS ARMY SERVICE FORCES

WASHINGTON 25, D. C., 25 October 1945

Army Service Forces Signal Supply Catalog, SIG 10-732, Fixed Plant Maintenance List for Switchboard, has been prepared under the supervision of the Chief Signal Officer, and is published for the information and compliance of all concerned.

[SPX 461 (10 Oct 45)]

BY COMMAND OF GENERAL SOMERVELL:

OFFICIAL:

EDWARD F. WITSELL
Major General
Acting The Adjutant General

LER. LUTES
Lieutenant General, GSC
Chief of Staff

DISTRIBUTION:

AAF (10); AGF (10); ASF (2); T of Opns (3); Dept (3); Def Comd (2); Base Comd (3); Arm & Sv Bd (1); S Div ASF (1); Tech Sv (2) except OCO (0); Sv C (3); FC (2); PE (15); Dep 11 (1); Gen & Sp Sv Sch (3); AACS Reg (2); AACS W (2); AACS S (2); AAF Air Support Control S (2); Base Hq & AB S (2); Air Reg (2); AACS Reg Wea Sta (2); 4th & 5th Ech Maint Shops 11 (Sv C 1-3, 5-7, 9) (3), (Sv C 4 & 8) (10); A (10); CHQ (10); T/O-E 1-412 (3); 1-627 (3); 1-637 (3); 1-638 (3); 1-687 (3); 1-852 (3); 1-857 (3); 1-858 (3); 11-107 (3); 11-127 (3); 11-587 (3); 11-592 (3); 11-597 (3).

Refer to FM 21-6 for explanation of distribution formula.